

Technical Specification : XML6722



SYSTEM	PART NAME	DESCRIPTION
General	L×W×H	6970 × 2050 × 2640 mm
	Wheelbase	3935 mm
	Fuel Tank Capacity	90 L
	Max Speed	≥100 km/h
	Seat Capacity	30 (21+8F+1)
CHASSIS	Engine	Cummins EQB125-20 (EURO II) , 3.9L, Four cylinders , In line, turbocharged, intercooled diesel engine, Max power : 90Kw/2800rpm Max torque : 410Nm/1500rpm
	Clutch	Single disc, hydraulic operation
	Transmission	Chinese transmission, Manual, five gear
	axle	Chinese axle, ratio 4.875
	Suspension	Leaf spring
	Tyre	215/75R17.5,tubeless
	Wheel cover	Stainless steel wheel rim cover
	Steering system	Power steering, hydraulically assisted
	Brake system	Full air brake, drum type
	Floor mat	Standard floor mat
BODY	Appearance	NEW STYLE
	Dashboard	Luxury Dashboard
	Side window glass	Black frame green sliding window
	Anti-scuff strip	Equipped
	Inner trim	New interior trim
	Passenger door, middle	Electric folded passenger door
	Passenger seat	21 ,high back, unadjustable backrest +8

		foldable seats
	Driver seat	Fabric covered seat, three point mounted seat belt
	Inside rear mirror	Equipped
	Rear view mirror	Manual
	Sun visor	Left & right sun visor
	Curtain	Curtain
	Safety belt	All seats with 2 Point safety belt
	Painting	Standard paint
ELECTRICAL EQUIPMENT		
	Wiper	Front wiper
	Digital clock	Equipped
	Switch	Manual power switch
	High position brake lamp	Equipped
	Audio-vision system	Radio/ MP3 player
	Reversing monitor	Black and white monitor
	Air atomizing energy-saving device	Equipped (for the torrid zone)
	Front defroster	Equipped
	A/C	Non-individual, 12,000kcal/h



